Contents Volume 121, 1996

Research Papers

Windblown trees as a palaeoclimate indicator: the character and role of gusts
J.R.L. Allen 1
Interaction of climate and tectonics upon alluvial architecture: Late Carboniferous—Early Permian sequences at the southern margin of the Pennine Basin, UK
B.W. Glover, J.H. Powell 13
Permian-Triassic mass extinction event recorded in bedded chert sequence in southwest Japan
Y. Kakuwa 35
Early—Middle Jurassic ostracod migration between the northern and southern hemispheres: Further evidence for a proto Atlantic-Central America connection
I. Boomer, S. Ballent 53
Stable isotope studies of fossiliferous Palaeogene sequence of Kutch, Western India: palaeoenvironmental implications
A. Sarkar, A.K. Ray, S.K. Bhattacharya 65
Trace fossils indicating bottom aeration changes: Folusz Limestone, Oligocene, Outer Carpathians, Poland
S. Leszcynski, A. Uchman, R.G. Bromley 79
Microtextures on quartz grains in tills from Antarctica
W.C. Mahaney, G. Claridge, I. Campbell 89
The age of the Koputaroa dunes, southwest North Island, New Zealand
G.A.T. Duller 105
A stepped karst unconformity as an Early Silurian rocky shoreline in Guizhou Province (South China)
R. Jia-yu, M. E. Johnson 115
Chitinozoan bio-event in the Frasnian—Famennian boundary beds at La Serre (Montagne Noire, Southern France)
F. Paris, C. Girard, R. Feist, T. Winchester-Seeto 131
Fossiliferous intervals and sequence boundaries in shallow marine, fan-deltaic deposits (Early Eocene, southern Pyrenees, Spain)
N. Molenaar, A.W. Martinius 147
Upper Jurassic microsolenid biostromes of northern and central Europe: facies and depositional environment
E. Insalaco 169
Late Holocene palaeoclimatic records from lake sediments on James Ross Island, Antarctica
S. Björck, S. Olsson, C. Ellis-Evans, H. Håkansson, O. Humlum, J.M. de Lirio 195
Estimating the accuracy of Russian paleotemperature reconstructions
H.S. Kheshgi, A.G. Lapenis 221
Does climate control the morphological fabric of freshwater carbonates?} A comparative study of Holocene barrage tufas from Spain and Britain
M. Pedley, J. Andrews, S. Ordonez, M. A. G. del Cura, J.-A.G. Martin, D. Taylor 239
Sea level changes, continental shelf morphology, and global paleoecological constraints in the shallow benthic realm: a theoretical approach
A. Schaaf 259
Ecostratigraphic approaches, sequence stratigraphy proposals and block tectonics: examples from epioceanic swell areas in south and east Iberia
F. Olóriz, J.E. Caracuel, J.J. Ruiz-Heras, F.J. Rodríguez-Tovar, B. Marques 273
The palaeogeography of early Ordovician Iapetus terranes: an integration of faunal and palaeomagnetic constraints
D.A.T. Harper, C. Mac Niocaill, S.H. Williams 297
Cyclicity in the Middle Eocene Çayraz Carbonate Formation, Haymana Basin, Central Anatolia, Turkey
A. Çiner, M. Deynoux, S. Ricou, E. Kosun 313
Dropstones: their origin and significance
M.R. Bennett, P. Doyle, A.E. Mather 331